HIGHLY ERODIBLE LAND Gordon County, Georgia

Map Symbol	Map Unit Name	HEL Class
ArA	Arkaqua loam, 0 to 2 percent slopes, occasionally flooded	NHEL
BoD	Bodine very gravelly silt loam, 6 to 15 percent slopes	HEL
BoE	Bodine very gravelly silt loam, 15 to 30 percent slopes	HEL
BoF	Bodine very gravelly silt loam, 30 to 70 percent slopes	HEL
CaG	Cataska channery silt loam, 45 to 70 percent slopes, very rocky	HEL
CbE	Cataska-Junaluska complex, 15 to 25 percent slopes	HEL
CbF	Cataska-Junaluska complex, 25 to 45 percent slopes	HEL
CeA	Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL
CfA	Colbert silt loam, 0 to 2 percent slopes	PHEL
CnB	Colbert-Docena complex, 2 to 6 percent slopes	HEL
СоВ	Conasauga silt loam, 2 to 6 percent slopes	HEL
CuB	Conasauga-Urban land complex, 2 to 6 percent slopes	HEL
CwB	Corryton silt loam, 2 to 6 percent slopes	PHEL
CwD	Corryton silt loam, 6 to 15 percent slopes	HEL
DeB	Dewey silt loam, 2 to 6 percent slopes	PHEL
DeD	Dewey silt loam, 6 to 15 percent slopes	HEL
DeE	Dewey silt loam, 15 to 30 percent slopes	HEL
DnB	Dewey-Corryton complex, 2 to 6 percent slopes	PHEL
DnE	Dewey-Corryton complex, 15 to 30 percent slopes	HEL
DrD	Dewey-Urban land complex, 6 to 15 percent slopes	HEL
DsA	Docena silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL
DuA	Docena-Urban land complex, 0 to 2 percent slopes	NHEL
EnD	Enders loam, 6 to 15 percent slopes	HEL
EnE	Enders loam, 15 to 30 percent slopes	HEL
EsE	Enders-Sunlight complex, 15 to 30 percent slopes	HEL
EtA	Etowah loam, 0 to 2 percent slopes	NHEL
EtB	Etowah loam, 2 to 6 percent slopes	PHEL
EtD	Etowah loam, 6 to 15 percent slopes	HEL
EwB	Etowah-Docena complex, 2 to 6 percent slopes	PHEL
FtB	Fullerton gravelly silt loam, 2 to 6 percent slopes	PHEL
FtD	Fullerton gravelly silt loam, 6 to 15 percent slopes	HEL
FuE	Fullerton-Urban land complex, 15 to 30 percent slopes	HEL
HrE	Hector-Townley-Rock outcrop complex, 5 to 35 percent slopes	HEL
HsB	Holston-Shack complex, 2 to 6 percent slopes	PHEL
KfA	Ketona silty clay loam, 0 to 2 percent slopes, frequently flooded	NHEL
КрА	Ketona silty clay loam, 0 to 2 percent slopes, ponded	NHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND Gordon County, Georgia

Map Symbol	Map Unit Name	HEL Class
KsB	Ketona-Shady complex, 2 to 6 percent slopes	PHEL
KuA	Ketona-Urban land complex, 0 to 2 percent slopes	NHEL
LnE	Linker-Nella complex, 20 to 35 percent slopes	HEL
LnF	Linker-Nella complex, 35 to 60 percent slopes	HEL
MfF	Minvale-Fullerton-Bodine complex, 30 to 60 percent slopes	HEL
MnE	Minvale-Urban land complex, 15 to 30 percent slopes	HEL
MoF	Montevallo very channery loam, 30 to 70 percent slopes	HEL
MtE	Montevallo-Townley complex, 15 to 30 percent slopes	HEL
MuE	Montevallo-Urban land complex, 10 to 25 percent slopes	HEL
NeE	Nella gravelly fine sandy loam, 15 to 30 percent slopes	HEL
NeF	Nella gravelly fine sandy loam, 30 to 60 percent slopes	HEL
Pt	Pits, quarries	
RwA	Riverview fine sandy loam, 0 to 3 percent slopes, occasionally flooded	NHEL
RxA	Riverview and Wax soils, 0 to 3 percent slopes, occasionally flooded	NHEL
SaC	Salacoa very channery silt loam, 6 to 10 percent slopes	HEL
SbB	Shack-Minvale complex, 2 to 6 percent slopes	PHEL
SbD	Shack-Minvale complex, 6 to 15 percent slopes	HEL
SbE	Shack-Minvale complex, 15 to 30 percent slopes	HEL
ScD	Shack-Urban land complex, 6 to 15 percent slopes	HEL
SdB	Shady fine sandy loam, 2 to 6 percent slopes	PHEL
SeB	Shady-Whitwell complex, 2 to 6 percent slopes, rarely flooded	PHEL
ShA	Shellbluff silt loam, 0 to 3 percent slopes, occasionally flooded	NHEL
SkD	Shelocta channery loam, 5 to 15 percent slopes	PHEL
SpB	Sipsey-Shady complex, 2 to 6 percent slopes	PHEL
SpB	Sipsey-Shady complex, 2 to 6 percent slopes	PHEL
SrB	Subligna extremely gravelly sandy loam, 0 to 5 percent slopes, occasionally flooded	PHEL
SuA	Suches loam, 0 to 2 percent slopes, occasionally flooded	NHEL
SwF	Sunlight gravelly fine sandy loam, 30 to 60 percent slopes	HEL
SyD	Sunlight-Sipsey-Townley complex, 6 to 15 percent slopes	HEL
TaD	Townley channery silt loam, 6 to 15 percent slopes	HEL
TaE	Townley very gravelly loam, 15 to 30 percent slopes	HEL
TaF	Townley very gravelly loam, 30 to 45 percent slopes	HEL
ТсВ	Townley-Conasauga complex, 2 to 6 percent slopes	HEL
TcD	Townley-Conasauga complex, 6 to 15 percent slopes	HEL
TmD	Townley-Montevallo complex, 6 to 15 percent slopes	HEL
TrD	Townley-Urban land complex, 2 to 15 percent slopes	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

HIGHLY ERODIBLE LAND Gordon County, Georgia

Map Symbol	Map Unit Name	HEL Class
TsD	Tsali-Junaluska complex, 6 to 15 percent slopes	HEL
Uc	Ultic udarents, channery	*
Ug	Ultic udarents, gravelly	*
UrC	Urban land, 2 to 10 percent slopes	
W	Water	
WaA	Wax silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL
WaB	Wax silt loam, 2 to 6 percent slopes, rarely flooded	PHEL
WnB	Waynesboro sandy loam, 2 to 6 percent slopes	PHEL
WnD	Waynesboro sandy loam, 6 to 15 percent slopes	HEL
WtA	Whitwell silt loam, 0 to 2 percent slopes, occasionally flooded	NHEL
WxB	Whitwell-Conasauga complex, 2 to 6 percent slopes, rarely flooded	PHEL

^{*} Properties of this mapunit are highly variable. Site evaluation is needed to determine HEL Class.

HEL Highly Erodible Land

PHEL Potentially Highly Erodible Land

NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

	Mapunit			С	om	ponent				
Мар	·		% of			-	Min	Max	8T/	HEL
Sym	Name	Name	MU	Slope	T	K	LS	LS	RK	Class
ArA	Arkaqua loam, 0 to 2 percent slopes, occasionally flooded	Arkaqua	85	0 - 2	4	0.24	0.11	0.23	0.44	NHEL
BoD	Bodine very gravelly silt loam, 6 to 15 percent slopes	Bodine	65	6 - 15	5	0.24	0.67	1.99	0.56	HEL
BoE	Bodine very gravelly silt loam, 15 to 30 percent slopes	Bodine	65	15 - 30	5	0.24	1.99	6.16	0.56	HEL
BoF	Bodine very gravelly silt loam, 30 to 70 percent slopes	Bodine	65	30 - 70	5	0.24	6.16	22.66	0.56	HEL
CaG	Cataska channery silt loam, 45 to 70 percent slopes, very rocky	Cataska	65	45 - 70	1	0.20	11.81	22.66	0.13	HEL
CbE	Cataska-Junaluska	Cataska	40	15 - 25	1	0.20	1.99	4.56	0.13	HEL
	complex, 15 to 25 percent slopes	Junaluska	30	15 - 25	2	0.28	1.99	4.56	0.19	HEL
CbF	Cataska-Junaluska	Cataska	40	25 - 45	1	0.20	4.56	11.81	0.13	HEL
	complex, 25 to 45 percent slopes	Junaluska	30	25 - 45	2	0.28	4.56	11.81	0.19	HEL
CeA	Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded	Chenneby	50	0 - 2	5	0.37	0.11	0.23	0.36	NHEL
CfA	Colbert silt loam, 0 to 2 percent slopes	Colbert	65	0 - 2	3	0.37	0.11	0.23	0.22	PHEL
CnB	Colbert-Docena complex,	Colbert	50	2 - 6	3	0.37	0.23	0.67	0.22	HEL
	2 to 6 percent slopes	Docena	45	2 - 6	4	0.32	0.23	0.67	0.33	PHEL
СоВ	Conasauga silt loam, 2 to 6 percent slopes	Conasauga	60	2 - 6	2	0.43	0.23	0.67	0.12	HEL
CuB	Conasauga-Urban land	Conasauga	65	2 - 6	2	0.43	0.23	0.67	0.12	HEL
	complex, 2 to 6 percent slopes	Urban land	35		-					
CwB	Corryton silt loam, 2 to 6 percent slopes	Corryton	60	2 - 6	5	0.28	0.23	0.67	0.48	PHEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

	Mapunit	Component									
Мар			% of				Min	Max	8T/	HEL	
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class	
CwD	Corryton silt loam, 6 to 15 percent slopes	Corryton	85	6 - 15	5	0.28	0.67	1.99	0.48	HEL	
DeB	Dewey silt loam, 2 to 6 percent slopes	Dewey	86	2 - 6	5	0.32	0.23	0.67	0.42	PHEL	
DeD	Dewey silt loam, 6 to 15 percent slopes	Dewey	85	6 - 15	5	0.32	0.67	1.99	0.42	HEL	
DeE	Dewey silt loam, 15 to 30 percent slopes	Dewey	95	15 - 30	5	0.32	1.99	6.16	0.42	HEL	
DnB	Dewey-Corryton	Dewey	55	2 - 6	5	0.32	0.23	0.67	0.42	PHEL	
	complex, 2 to 6 percent slopes	Corryton	45	2 - 6	5	0.28	0.23	0.67	0.48	PHEL	
DnE	Dewey-Corryton	Dewey	50	15 - 30	5	0.32	1.99	6.16	0.42	HEL	
	complex, 15 to 30 percent slopes	Corryton	40	15 - 30	5	0.28	1.99	6.16	0.48	HEL	
DrD	Dewey-Urban land	Dewey	65	6 - 15	5	0.32	0.67	1.99	0.42	HEL	
	complex, 6 to 15 percent slopes	Urban land	35		-						
DsA	Docena silt loam, 0 to 2 percent slopes, occasionally flooded	Docena	55	0 - 2	4	0.32	0.11	0.23	0.33	NHEL	
DuA	Docena-Urban land	Docena	65	0 - 2	4	0.32	0.11	0.23	0.33	NHEL	
	complex, 0 to 2 percent slopes	Urban land	35		-						
EnD	Enders loam, 6 to 15 percent slopes	Enders	83	6 - 15	3	0.37	0.67	1.99	0.22	HEL	
EnE	Enders loam, 15 to 30 percent slopes	Enders	90	15 - 30	3	0.37	1.99	6.16	0.22	HEL	
EsE	Enders-Sunlight complex,	Enders	45	15 - 30	3	0.37	1.99	6.16	0.22	HEL	
	15 to 30 percent slopes	Sunlight	25	15 - 30	1	0.24	1.99	6.16	0.11	HEL	
EtA	Etowah loam, 0 to 2 percent slopes	Etowah	95	0 - 2	5	0.37	0.11	0.23	0.36	NHEL	
EtB	Etowah loam, 2 to 6 percent slopes	Etowah	90	2 - 6	5	0.37	0.23	0.67	0.36	PHEL	
EtD	Etowah loam, 6 to 15 percent slopes	Etowah	80	6 - 15	5	0.37	0.67	1.99	0.36	HEL	

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

	Mapunit	Component										
Мар			% of				Min	Max	8T/	HEL		
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class		
EwB	Etowah-Docena complex,	Etowah	65	2 - 6	5	0.37	0.23	0.67	0.36	PHEL		
	2 to 6 percent slopes	Docena	25	2 - 6	4	0.32	0.23	0.67	0.33	PHEL		
FtB	Fullerton gravelly silt loam, 2 to 6 percent slopes	Fullerton	82	2 - 6	5	0.28	0.23	0.67	0.48	PHEL		
FtD	Fullerton gravelly silt loam, 6 to 15 percent slopes	Fullerton	82	6 - 15	5	0.28	0.67	1.99	0.48	HEL		
FuE	Fullerton-Urban land	Fullerton	65	15 - 30	5	0.28	1.99	6.16	0.48	HEL		
	complex, 15 to 30 percent slopes	Urban land	35		-							
HrE	Hector-Townley-Rock	Hector	50	5 - 35	1	0.10	0.59	7.32	0.27	HEL		
	outcrop complex, 5 to 35	Townley	30	5 - 35	2	0.28	0.59	7.32	0.19	HEL		
	percent slopes	Rock outcrop	20	-	0	0.00	0.11	0.11				
HsB	Holston-Shack complex, 2	Holston	50	2 - 6	5	0.28	0.23	0.67	0.48	PHEL		
	to 6 percent slopes	Shack	35	2 - 6	3	0.28	0.23	0.67	0.29	PHEL		
KfA	Ketona silty clay loam, 0 to 2 percent slopes, frequently flooded	Ketona	85	0 - 2	3	0.32	0.11	0.23	0.25	NHEL		
КрА	Ketona silty clay loam, 0 to 2 percent slopes, ponded	Ketona	65	0 - 2	3	0.32	0.11	0.23	0.25	NHEL		
KsB	Ketona-Shady complex, 2	Ketona	30	2 - 4	3	0.32	0.23	0.43	0.25	PHEL		
	to 6 percent slopes	Shady	25	2 - 6	4	0.28	0.23	0.67	0.38	PHEL		
KuA	Ketona-Urban land	Ketona	65	0 - 2	3	0.32	0.11	0.23	0.25	NHEL		
	complex, 0 to 2 percent slopes	Urban land	35		-							
LnE	Linker-Nella complex, 20	Linker	70	20 - 35	2	0.28	3.16	7.32	0.19	HEL		
	to 35 percent slopes	Nella	30	20 - 35	5	0.15	3.16	7.32	0.89	HEL		
LnF	Linker-Nella complex, 35	Linker	65	35 - 60	2	0.28	7.32	17.93	0.19	HEL		
	to 60 percent slopes	Nella	15	35 - 60	5	0.28	7.32	17.93	0.48	HEL		
MfF	Minvale-Fullerton-Bodine	Minvale	45	30 - 60	5	0.28	6.16	17.93	0.48	HEL		
	complex, 30 to 60	Fullerton	25	30 - 60	5	0.28	6.16	17.93	0.48	HEL		
	percent slopes	Bodine	20	30 - 60	5	0.24	6.16	17.93	0.56	HEL		

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

	Mapunit			С	om	ponent	;			
Мар			% of				Min	Max	8T/	HEL
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class
MnE	Minvale-Urban land	Minvale	65	15 - 30	5	0.28	1.99	6.16	0.48	HEL
	complex, 15 to 30 percent slopes	Urban land	35		-					
MoF	Montevallo very channery loam, 30 to 70 percent slopes	Montevallo	85	30 - 70	1	0.20	6.16	22.66	0.13	HEL
MtE	Montevallo-Townley	Montevallo	60	15 - 30	1	0.20	1.99	6.16	0.13	HEL
	complex, 15 to 30 percent slopes	Townley	40	15 - 30	2	0.28	1.99	6.16	0.19	HEL
MuE	Montevallo-Urban land	Montevallo	65	10 - 25	1	0.20	1.23	4.56	0.13	HEL
	complex, 10 to 25 percent slopes	Urban land	35		-					
NeE	Nella gravelly fine sandy loam, 15 to 30 percent slopes	Nella	100	15 - 30	5	0.15	1.99	6.16	0.89	HEL
NeF	Nella gravelly fine sandy loam, 30 to 60 percent slopes	Nella	70	30 - 60	5	0.28	6.16	17.93	0.48	HEL
Pt	Pits, quarries	Pits, quarries	100		-					
RwA	Riverview fine sandy loam, 0 to 3 percent slopes, occasionally flooded	Riverview	95	0 - 3	5	0.24	0.11	0.30	0.56	NHEL
RxA	Riverview and Wax soils,	Riverview	45	0 - 3	5	0.24	0.11	0.30	0.56	NHEL
	0 to 3 percent slopes, occasionally flooded	Wax	20	0 - 3	3	0.32	0.11	0.30	0.25	PHEL
SaC	Salacoa very channery silt loam, 6 to 10 percent slopes	Salacoa	90	6 - 10	4	0.28	0.67	1.23	0.38	HEL
SbB	Shack-Minvale complex,	Shack	45	2 - 6	3	0.28	0.23	0.67	0.29	PHEL
	2 to 6 percent slopes	Minvale	40	2 - 6	5	0.28	0.23	0.67	0.48	PHEL
SbD	Shack-Minvale complex,	Shack	45	6 - 15	3	0.28	0.67	1.99	0.29	HEL
	6 to 15 percent slopes	Minvale	40	6 - 15	5	0.28	0.67	1.99	0.48	HEL
SbE	Shack-Minvale complex,	Shack	45	15 - 30	3	0.28	1.99	6.16	0.29	HEL
	15 to 30 percent slopes	Minvale	40	15 - 30	5	0.28	1.99	6.16	0.48	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

	Mapunit			С	om	ponent				
Мар	·		% of				Min	Max	8T/	HEL
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class
ScD	Shack-Urban land	Shack	65	6 - 15	3	0.28	0.67	1.99	0.29	HEL
	complex, 6 to 15 percent slopes	Urban land	35		-					
SdB	Shady fine sandy loam, 2 to 6 percent slopes	Shady	60	2 - 6	4	0.28	0.23	0.67	0.38	PHEL
SeB	Shady-Whitwell complex,	Shady	65	2 - 6	4	0.28	0.23	0.67	0.38	PHEL
	2 to 6 percent slopes, rarely flooded	Whitwell	25	2 - 6	4	0.32	0.23	0.67	0.33	PHEL
ShA	Shellbluff silt loam, 0 to 3 percent slopes, occasionally flooded	Shellbluff	90	0 - 2	5	0.28	0.11	0.23	0.48	NHEL
SkD	Shelocta channery loam, 5 to 15 percent slopes	Shelocta	85	5 - 15	4	0.17	0.59	1.99	0.63	PHEL
SpB	Sipsey-Shady complex, 2	Sipsey	45	2 - 6	3	0.28	0.23	0.67	0.29	PHEL
	to 6 percent slopes	Shady	25	2 - 6	4	0.28	0.23	0.67	0.38	PHEL
SrB	Subligna extremely gravelly sandy loam, 0 to 5 percent slopes, occasionally flooded	Subligna	80	0 - 5	2	0.20	0.11	0.59	0.27	PHEL
SuA	Suches loam, 0 to 2 percent slopes, occasionally flooded	Suches	85	0 - 2	5	0.24	0.11	0.23	0.56	NHEL
SwF	Sunlight gravelly fine sandy loam, 30 to 60 percent slopes	Sunlight	75	30 - 60	1	0.24	6.16	17.93	0.11	HEL
SyD	Sunlight-Sipsey-Townley	Sunlight	35	6 - 15	1	0.24	0.67	1.99	0.11	HEL
	complex, 6 to 15 percent	Sipsey	25	6 - 15	3	0.28	0.67	1.99	0.29	HEL
	slopes	Townley	20	6 - 15	2	0.28	0.67	1.99	0.19	HEL
TaD	Townley channery silt loam, 6 to 15 percent slopes	Townley	70	6 - 15	2	0.28	0.67	1.99	0.19	HEL
TaE	Townley very gravelly loam, 15 to 30 percent slopes	Townley	80	15 - 30	2	0.28	1.99	6.16	0.19	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

	Mapunit			С	om	ponent	:			
Мар			% of				Min	Max	8T/	HEL
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class
TaF	Townley very gravelly loam, 30 to 45 percent slopes	Townley	80	30 - 45	2	0.28	6.16	11.81	0.19	HEL
TcB	Townley-Conasauga	Townley	50	2 - 6	2	0.28	0.23	0.67	0.19	HEL
	complex, 2 to 6 percent slopes	Conasauga	20	2 - 6	2	0.43	0.23	0.67	0.12	HEL
TcD	Townley-Conasauga	Townley	45	6 - 15	2	0.28	0.67	1.99	0.19	HEL
	complex, 6 to 15 percent slopes	Conasauga	40	6 - 15	2	0.43	0.67	1.99	0.12	HEL
TmD	Townley-Montevallo	Townley	70	6 - 15	2	0.28	0.67	1.99	0.19	HEL
	complex, 6 to 15 percent slopes	Montevallo	25	6 - 15	1	0.20	0.67	1.99	0.13	HEL
TrD	Townley-Urban land complex, 2 to 15 percent	Townley	65	2 - 15	2	0.28	0.23	1.99	0.19	HEL
	slopes	Urban land	35		-					
TsD	Tsali-Junaluska complex,	Tsali	45	6 - 15	1	0.15	0.67	1.99	0.18	HEL
	6 to 15 percent slopes	Junaluska	40	6 - 15	2	0.28	0.67	1.99	0.19	HEL
Uc	Ultic Udarents, channery	Ultic udarents	90		-					
Ug	Ultic Udarents, gravelly	Ultic udarents	90		-					
UrC	Urban land, 2 to 10 percent slopes	Urban land	85	2-10	-					
W	Water	Water	100		-					
WaA	Wax silt loam, 0 to 2 percent slopes, occasionally flooded	Wax	38	0 - 2	3	0.32	0.11	0.23	0.25	NHEL
WaB	Wax silt loam, 2 to 6 percent slopes, rarely flooded	Wax	55	2 - 6	3	0.32	0.23	0.67	0.25	PHEL
WnB	Waynesboro sandy loam, 2 to 6 percent slopes	Waynesboro	85	2 - 6	5	0.28	0.23	0.67	0.48	PHEL
WnD	Waynesboro sandy loam, 6 to 15 percent slopes	Waynesboro	80	6 - 15	5	0.28	0.67	1.99	0.48	HEL

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.

DOCUMENTATION FOR:

HIGHLY ERODIBLE LAND Gordon County, Georgia

R Factor = 300

	Mapunit	Component									
Map			% of				Min	Max	8T/	HEL	
Sym	Name	Name	MU	Slope	Т	K	LS	LS	RK	Class	
WtA	Whitwell silt loam, 0 to 2 percent slopes, occasionally flooded	Whitwell	70	0 - 2	4	0.32	0.11	0.23	0.33	NHEL	
WxB	Whitwell-Conasauga	Whitwell	35	2 - 6	4	0.32	0.23	0.67	0.33	PHEL	
	complex, 2 to 6 percent slopes, rarely flooded	Conasauga	20	2 - 6	2	0.43	0.23	0.67	0.12	HEL	

HEL Highly Erodible Land

PHEL Potentially Highly Erodible Land

NHEL Not Highly Erodible Land

- All HEL Classes were assigned using USLE factor values that were in effect as of January 1, 1990.
- This HEL list is based on the final correlation of survey data and supersedes any previous HEL list.